

Wireless N600 Dual Band Gigabit Router



Key Features

- Dual band 802.11n wireless to stream HD multimedia across your home to the PCs and mobile devices
- Gigabit ports to connect wired devices for high speed connectivity
- EnGenius Cloud Access and Management
- The EnShare apps for iOS /Android allows you to access your multimedia and documents from multiple devices at the same time.

Dual Band work-n-play Wireless N600 gigabit router for media active homes.

Expanded Range and Capacity

The EnGenius ESR600 Wireless N600 Gigabit Remote Access Router is a Dual Band (2.4 GHz and 5 GHz), 4-Port Wireless-N Router with wireless speeds up to 300Mbps on both frequency bands. For media active households the ESR600 provides fast and stable wireless connectivity and is a great solution for streaming video or for gamers who compete with other online gamers.

Gigabit Wired Speed & Shared USB Media

The ESR600 includes a built-in 4-Port Gigabit Switch and Gigabit WAN port for 10x faster throughput than Fast Ethernet making large file transfers, HD video and other media streaming incredibly fast. USB port to attach storage so connected devices in your home can access and stream video, music, and other media.

Industry-Standard Wireless Security

The ESR600 supports several security features

and settings including industry-standard WPA/WPA2 wireless encryption to prevent unauthorized access to the network; a SPI (Stateful Packet Inspection) firewall to block malicious software from the Internet from accessing networked devices; MAC Address filtering to grant only known computers and devices network access; and URL filtering to block access to unwanted or offensive websites.

USB Media Anywhere with EnShare™

Attach a storage device to the router's USB port and with EnShare you can start sharing media content like photos, music, or videos throughout the home or even access and download that content when you're away from home to your mobile devices like smartphones or tablet and laptop PCs. EnShare also enables you to upload files to your attached storage device anywhere you can get an Internet connection.





Wireless N600 Dual Band Gigabit Router

	TECHNICAL SPECIFICATIONS		
> Software Features			
Operating Modes	AP Router/WDS		
Network Map	Graphical display of current connected device list		
Channel Setting	Manual		
Chainer Setting	Auto / Best Channel Selection		
Transfer Rate Setting	Auto and Manual		
Power Saving	Wireless LAN power saving		
Guest Network (Multiple SSID)	4 BSSID for each 2.4GHz & 5GHz		
duest Network (Pluruple 3310)	Each BSSID has its own WiFi & security settings		
WPS	WPS-button & Software WPS		
	WEP / WPA-PSK / WPA2-PSK / TKIP/ AES		
	802.1x Authenticator		
Security	Hidden SSID		
	WPS		
	Auto Channel Selection		
VPN	VPN Pass-through (PPTP/L2TP/IP Sec)		
VPN Lite Server	PPTP/ L2TP/IPSec (5 concurrent tunnels)		
Management	UPnP, DLNA, DHCP, NTP Client, DDNS, Port Trigger, Virtual Server, DMZ		
Utility	USB: FTP Server / SAMBA / File Sharing Web interface to access, upload, and play files stored on your USB drive		





Wireless N600 Dual Band Gigabit Router

IPv6	Yes
Mobile App Support	EnShare

	TECHNICAL SPECIFICATIONS		
> HARDWARE SPECIFICATI	ON		
	WAN: 1 x 10/100/1000Mbps Gigabit Ethernet		
Physical Interface	LAN: 4 x 10/100/1000Mbps Gigabit Ethernet		
	1 USB2.0 Port		
	WPS button		
Power Adapter	12V / 1.25A		
LED Indicator	Power, WAN, WPS, 2.4Ghz WLAN & 5GHz WLAN		
> WIRELESS SPECIFICATIO	N .		
Frequency Band	2.400~2.484 GHz(11b, 11g, 11n) and 5GHz(11a, 11n)		
Operating Channels	11 for North America, 14 for Japan, 13 for Europe		
Wireless Setting	Wireless Mode - 11a/ 11b/ 11g /11n		
	Channel Selection		
	Channel Bandwidth (Auto 20/40MHZ, 20MHZ)		
	Transmission Rate - 11n only, 11b/g/n mix ,11b ,11g, 11b/g, 11a, 11a/n		
Antenna	2 x 3.5dBi internal antennas for 2.4GHz		
	2 x 3.5dBi internal antennas for 5GHz		

ENVIRONMENTAL AND MECHANICAL	
Temperature Range	0 to 40° C - Operating, -20 to 60 ° C - Storage





Wireless N600 Dual Band Gigabit Router

Humidity (non-condensing)	90% or less - Operating, 95% or less - Storage
Dimension	161.5mm (Diameter) x 41.5mm (Height)

	PACKAGE CONTENTS
•	1x ESR600
•	1x 12V/1.25A Power Adapter
•	1x Quick Start Guide
•	1x RJ-45 Ethernet Cable

Contact

E-mail: service@engeniustech.com.au 1300 725 323 1/14 Wellington Street, ACACIA RIDGE QLD 4110 Australia Check www.engeniustech.com.au for your contact information

Updated 30/08/2013

- * Maximum data rates are based on IEEE 802.11 standards. Actual throughput and range can vary depending on many factors including network conditions, environmental factors, distance between devices, radio interference in the operating environment, and mix of devices in the network
- ** All specifications are subjected to change without prior notice.
- © 2013 EnGenius Networks (S) Pte. Ltd. All rights reserved.

